

# THE STATE of ALASKA Department of Commerce, Community, and Economic Development Division of Corporations, Business and Professional Licensing

#### **License Renewal Prep**

For Physicians, Osteopathic Physicans, Podiatrists, and Physician Assistants

To ease the renewal process, licensees are encouraged to REVIEW and CHECK prior to renewing. The renewal period for licenses regulated by the State Medical Board will open in mid-October 2022. Some recommendations may not apply to your license type.

#### **REVIEW**

- Login in to your MY LICENSE account: www.commerce.alaska.gov/MYLICENSE
- Confirm **Relationships** and **Designations** are correct
- New process for confirming Active Collaborative Plans.
   Instructions are available on the <u>ASMB Applications and Forms</u> page under the Renewal drop down.
- Need to Update? Visit ASMB Applications and Forms page to ADD/CHANGE. To REMOVE/END, email us.

### **CHECK**

- CHECK your PDMP account in <u>AWARXE</u> to ensure information is correct and up to date, including **DEA registration**, contact information, delegates, employer information, and other licensing credentials.
- Visit PDMP Instructions and Resources for additional information or email us.

## PDMP REGISTRATION

 Providers with a DEA registration number form any state or practice location are required to be registered with the PDMP within 30 days of receiving a license. The PDMP fee was reduced to \$0 which eliminated the need for a separate PDMP Registration number. PDMP registration status will now be indicated on the professional license certificate (if applicable). For more information, please visit pdmp.alaska.gov

**REMINDER:** All Alaska-licensed practitioners with a DEA registration must register with the Prescription Drug Monitoring Program (PDMP) and must use the PDMP to review a patient's prescription history each time before prescribing a federally scheduled II or III controlled substance. Reporting daily to the PDMP is also required for every practitioner dispensing beyond a 3-day supply and in practice settings not exempt under AS 17.30.200(t).