



Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D
Limit of Study	[Symbol]				
Detailed Cross Section	BFE				
Approximate Cross Section	BFE				

FEMA Region X  
 Matanuska-Susitna Borough, Alaska  
 Flood Hazard Study Draft Workmaps  
 Page A1 (1 of 88)  
 July 2015




\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.





Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D
Limit of Study	[Symbol]				
Detailed Cross Section	BFE				
Approximate Cross Section	BFE				

FEMA Region X  
 Matanuska-Susitna Borough, Alaska  
 Flood Hazard Study Draft Workmaps  
 Page A2 (2 of 88)  
 July 2015




\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.






Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D
Limit of Study	[Symbol]				
Detailed Cross Section	BFE				
Approximate Cross Section	BFE				

FEMA Region X  
 Matanuska-Susitna Borough, Alaska  
 Flood Hazard Study Draft Workmaps  
 Page A3 (3 of 88)  
 July 2015




\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.





Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs					
New Study SFHAs					
Limit of Study					
Detailed Cross Section					
Approximate Cross Section					

FEMA Region X  
 Matanuska-Susitna Borough, Alaska  
 Flood Hazard Study Draft Workmaps  
 Page A4 (4 of 88)  
 July 2015



\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NAVD29 to NAVD88 by adding 6.1 feet to the NAVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.





Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D

Limit of Study:   
 Detailed Cross Section: BFE   
 Approximate Cross Section: BFE

0 750 1,500 3,000 Feet

FEMA Region X  
 Matanuska-Susitna Borough, Alaska  
 Flood Hazard Study Draft Workmaps  
 Page A5 (5 of 88)  
 July 2015

\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.