

Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D

Limit of Study: [Symbol]

Detailed Cross Section: [Symbol] BFE

Approximate Cross Section: [Symbol] BFE


0 750 1,500 3,000 Feet

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
Page D1 (16 of 88)
July 2015

STARR



	B1	B2	B3	B4
		C2	C3	
	D1	D2	D3	
	E1	E2	E3	
		F2	F3	

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NAVD83 to NAVD88 by adding 6.1 feet to the NAVD83 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.




Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs					
New Study SFHAs					
Limit of Study					
Detailed Cross Section					
Approximate Cross Section					

FEMA Region X
 Matanuska-Susitna Borough, Alaska
 Flood Hazard Study Draft Workmaps
 Page D2 (17 of 88)
 July 2015



* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D

Limit of Study: [Symbol]

Detailed Cross Section: [Symbol] BFE

Approximate Cross Section: [Symbol] BFE


0 750 1,500 3,000 Feet

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
 Page D3 (18 of 88)
 July 2015

STARR

B1	B2	B3	B4	B5
	C2	C3		C5
D1	D2	D3		D5
E1	E2	E3		E6
	F2	F3		F6

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D

Limit of Study: [Symbol]

Detailed Cross Section: [Symbol] BFE

Approximate Cross Section: [Symbol] BFE

0 750 1,500 3,000 Feet

FEMA Region X
 Matanuska-Susitna Borough, Alaska
 Flood Hazard Study Draft Workmaps
 Page D5 (19 of 88)
 July 2015

STARR



B2	B3	B4	B5	B6	B7
C2	C3	C4	C5	C6	C7
D2	D3	D4	D5	D6	D7
E2	E3	E4	E5	E6	E7
F2	F3	F4	F5	F6	F7

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.




Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D
Limit of Study	[Symbol]				
Detailed Cross Section	BFE				
Approximate Cross Section	BFE				

FEMA Region X
 Matanuska-Susitna Borough, Alaska
 Flood Hazard Study Draft Workmaps
 Page D6 (20 of 88)
 July 2015





* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.




Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D
Limit of Study	[Symbol]				
Detailed Cross Section	[Symbol] BFE				
Approximate Cross Section	[Symbol] BFE				

FEMA Region X
 Matanuska-Susitna Borough, Alaska
 Flood Hazard Study Draft Workmaps
 Page D7 (21 of 88)
 July 2015



* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D

Limit of Study:

Detailed Cross Section:

Approximate Cross Section:

0 750 1,500 3,000 Feet

FEMA Region X
 Matanuska-Susitna Borough, Alaska
 Flood Hazard Study Draft Workmaps
 Page D8 (22 of 88)
 July 2015

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.