

Shungnak Activity Report

Community Overview

Lead RUBA Staff: Margaret Hansen, Kotzebue Office

2003 Population: 264

Region: Northwest Arctic

Local Governments: Second Class City

Tribal Council



The City of Shungnak operates the piped water and sewer system. The City Council is the policy making board for the utility.

The water infiltration gallery was destroyed by ice several years ago, and needs replacement. A reservoir is intermittently filled from the Kobuk River — a portable pump fills a 200,000-gallon steel storage tank through 1,110' of buried arctic pipe. Groundwater wells have proven unsuccessful. Piped water and sewer are provided to 53 homes (those at the top of the bluff,) the clinic, school and community building. Shungnak has a 6-inch buried gravity sewage main, which drains into a small diked lake one-half mile northwest of the City. The main, lift station and manholes need replacement. The effluent is chlorinated before discharge. A new landfill has recently been completed.

RUBA Activity This Quarter

Kotzebue RUBA staff provided on site training and assistance to the administrator on her capital matching grants and reports. She called for assistance after having cash flow problems. She also needed to complete her business plan for the VSW project happening this summer.

Capacity Indicators

Finances

Essential Indicators

- | Yes | No | |
|-------------------------------------|--------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | All revenue and expenses for the utility are listed in the utility budget. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The utility has adopted a balanced realistic budget. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Monthly financial reports are prepared and submitted to the policy making body. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The utility is receiving revenues (user fees or other sources) sufficient to cover operating expenses. |

Sustainable Indicators

- | | | |
|-------------------------------------|-------------------------------------|---|
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | The utility is receiving revenues (user fees or other sources) sufficient to cover operating expenses and Repair & Replacement (R&R) costs. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | YTD revenues are at a level equal to or above those budgeted. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | YTD expenditures are at a level equal to or below those budgeted. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | A monthly manager’s report is prepared. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Budget amendments are completed and adopted as necessary. |

Finances Comments: This administrator had problems last year trying to close out her 02 capital matching grants. We had to go back to records of July 01 and were able to complete a financial report to get her \$25,000 reimbursed.

Accounting Systems

Essential Indicators

- | | |
|-------------------------------------|--|
| <input checked="" type="checkbox"/> | The utility meets all essential indicators. |
|-------------------------------------|--|

Sustainable Indicators

- | | |
|-------------------------------------|---|
| <input checked="" type="checkbox"/> | The utility meets all sustainable indicators. |
|-------------------------------------|---|

Accounting Comments: The Administrator is doing very well with all accounting requirements.

Tax Problems

Essential Indicators

- | Yes | No | NA | |
|-------------------------------------|--------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | | The utility has a system to accurately calculate, track, and report payroll tax liabilities. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | | The utility is current on filing tax reports. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | | The utility is current on making tax deposits. |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | If there are any past tax liabilities, a repayment agreement has been signed and repayments are current. |

Tax Problems Comments: The city is paying and reporting timely.

Personnel System

Essential Indicators

Yes	No	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has a posted workers compensation insurance policy in effect.

Sustainable Indicators

<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has adopted and uses a Personnel Policy, which has been reviewed by an attorney, AML, or DCED for topics and language.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has adequate written job descriptions for all positions.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has adopted and follows a written personnel evaluation process that ties the job description to the evaluation.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has an adequate written hiring process.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has personnel folders on every employee that contain at least: I-9, Job Application and Letter of Acceptance.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has a probationary period for new hires that includes orientation, job-training/oversight, and evaluations.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility provides training opportunities to staff as needed and available.

Personnel System Comments: Other priorities have prevented us to revise their personnel polices to date.

Organizational Management

Essential Indicators

Yes	No	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The entity that owns the utility is known and the entity that will operate the utility is set.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The policy making body is active in policy making of the utility.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The policy making body enforces utility policy.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has an adequately trained manager.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has an adequately trained bookkeeper.
<input type="checkbox"/>	<input checked="" type="checkbox"/>	The utility has an adequately trained operator(s).
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has adopted the necessary ordinances (or rules and regulations) necessary to give it the authority to operate.

Sustainable Indicators

<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility has adopted an organizational chart that reflects the current structure.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The policy making body meets as required.
<input checked="" type="checkbox"/>	<input type="checkbox"/>	The utility complies with the open meeting act for all meetings.

Organizational Management Comments: The Council has adopted an organizational chart and knows the chain of command.

Operation of Utility

Essential Indicators

- | Yes | No | |
|-------------------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The utility operator(s) are actively working towards necessary certification. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | The utility has a preventative maintenance plan developed for the existing sanitation facilities. |

Sustainable Indicators

- | | | |
|-------------------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The manager receives a monthly O&M report from the utility operator and routinely “spot checks” the facilities to see that the maintenance items are being completed. |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | The utility has a safety manual and holds safety meetings. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Utility facilities have not suffered any major problems/outages due to management issues that are still unresolved. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The utility is operating at the level of service that was proposed. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The operator provides status reports to the manager on a routine basis. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The utility has completed and distributed its <u>Community Confidence Report (CCR)</u> . |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | The utility is not on the <u>Significant Non-Compliance (SNC)</u> list. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The utility maintains an inventory control list. |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | The utility maintains a critical spare parts list. |

Operation of Utility Comments: The administrator has met with the operators about the need to become certified. She will be posting a notice to get a second alternate in hopes that one of the three will pass.

RUBA Activities For The Coming Quarter

The Kotzebue LGS continues to work with the administrator in completing her business plan and may have to travel back to help her complete it.