






| Mapping                   | AE Zone | AE Floodway Zone | A Zone | Shaded Zone X | D Zone |
|---------------------------|---------|------------------|--------|---------------|--------|
| Effective SFHAs           | AE 12   | AE               | A      | 0.2%          | D      |
| New Study SFHAs           | AE 12   | FLOODWAY         | A      | 0.2%          | D      |
| Limit of Study            | —       |                  |        |               |        |
| Detailed Cross Section    | —BFE—   |                  |        |               |        |
| Approximate Cross Section | —BFE—   |                  |        |               |        |

FEMA Region X  
Matanuska-Susitna Borough, Alaska  
Flood Hazard Study Draft Workmaps  
Page B1 (6 of 88)  
July 2015



\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

AE Floodway Zone

AE

FLOODWAY

A Zone

A

A

Shaded Zone X

0.2%

0.2%

D Zone

D

D

0

750

1,500

3,000

Feet

W

N

E

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page B2 (7 of 88)

July 2015

STARR

A1

A2

A3

A4

A5

B1

B2

B3

B4

B5

C2

C3

C5


D1

D2

D3

D5

\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

AE Floodway Zone

FLOODWAY

A Zone

A

A

Shaded Zone X

0.2%

0.2%

D Zone

D

D

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page B3 (8 of 88)

July 2015

0

750


1,500

3,000

Feet

|    |    |    |    |    |
|----|----|----|----|----|
| A1 | A2 | A3 | A4 | A5 |
| B1 | B2 | B3 | B4 | B5 |
| C2 | C3 | C5 | C6 |    |
| D1 | D2 | D3 | D5 | D6 |

\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

—

—

—

AE Floodway Zone

AE

FLOODWAY

—

—

—

A Zone

A

A

—

—

—

Shaded Zone X

0.2%

0.2%

—

—

—

D Zone

D

D

—

—

—

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page B4 (9 of 88)

July 2015

0

750

1,500

3,000

Feet

A1

A2

A3

A4

A5

B1

B2

B3

B4

B5

C2

C3

C5

C6

C7

D1

D2

D3

D5

D6

D7


Talkeetna Airport

Talkeetna

Peter

Talkeetna Spit

\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

AE Zone

AE 12

AE 12

Floodway Zone

AE

FLOODWAY

A Zone

A

A

Shaded Zone X

0.2%

0.2%

D Zone

D

D

Limit of Study

Detailed Cross Section

Approximate Cross Section

0

750

1,500

3,000

Feet

N

W

E

S

STARR

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page B5 (10 of 88)

July 2015

|    |    |    |    |
|----|----|----|----|
| A2 | A3 | A4 | A5 |
| B2 | B3 | B4 | B5 |
| C2 | C3 | C5 | C6 |
| D2 | D3 | D5 | D6 |

Talkeetna Airport

Petersville Rd

Talkeetna

Little Susitna Spur

\* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.