




Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Floodway Zone

AE

FLOODWAY

Limit of Study

Detailed Cross Section

Approximate Cross Section

A Zone

A

A

Limit of Study

Detailed Cross Section

Approximate Cross Section

Shaded Zone X

0.2%

0.2%

Limit of Study

Detailed Cross Section

Approximate Cross Section

D Zone

D

D

Limit of Study

Detailed Cross Section

Approximate Cross Section

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page K5 (46 of 88)

July 2015

0

750

1,500

3,000

Feet

N

W

E

S

STARR

I3

I6

I7

J5

J6

J7

K5

K6

K7

K8

L8

M8

K5

K6


K7

K8

L8

M8

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

Limit of Study

Detailed Cross Section

Approximate Cross Section

BFE

BFE

BFE

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page K6 (47 of 88)

July 2015

STARR

0

750

1,500

3,000

Feet

N

E

S

W

13

16

17

J5

J6

J7

K5

K6

K7

K8

K9

L8

L9


M8

M9

Kashimirov

Salmon River

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAS

New Study SFHAS

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

AE Floodway Zone

FLOODWAY

A Zone

A

A

Shaded Zone X

0.2%

0.2%

D Zone

D

D

0

750

1,500

3,000

Feet

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page K7 (48 of 88)

July 2015

J5

K5

L8

M8

J6

K6

L9

M9

J7

K7

L8

M8

J8

K8


L9

M9

16

17

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

	AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D


Limit of Study

Detailed Cross Section

Approximate Cross Section

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
Page K8 (49 of 88)
July 2015

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

0 750 1,500 3,000 Feet

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
Page K9 (50 of 88)
July 2015

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88