




Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

Limit of Study

Detailed Cross Section

Approximate Cross Section

BFE

BFE

BFE

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page M8 (53 of 88)

July 2015

STARR

0

750

1,500

3,000

Feet

N

E

S

W

K5

K6

K7

K8

K9

L8

L9

M8

M9

M11

N7

N8

N9

N10

N11

O6

O7

O10


O11

Deception Creek

Willow Creek

Fish Creek

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

Floodway Zone

FLOODWAY

A Zone

A

Shaded Zone X


0.2%

D Zone

D

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
Page M9 (54 of 88)
July 2015

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

AE Zone	AE Floodway Zone	A Zone	Shaded Zone X	D Zone
AE 12	AE	A	0.2%	D
AE 12	FLOODWAY	A	0.2%	D

Limit of Study

Detailed Cross Section

Approximate Cross Section

BFE

BFE

0

750

1,500

3,000

Feet

N

W

E

S

STARR

FEMA Region X

Matanuska-Susitna Borough, Alaska


Flood Hazard Study Draft Workmaps

Page M11 (55 of 88)

July 2015

K8	K9	Willow Fishhook			
L8	L9				
M8	M9	M11	M12	M13	M14
N8	N9	N10	N11	Pittman	Parks Hwy
O10	O11	O12	O13	O14	

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

0 750 1,500 3,000 Feet

N

W

E

S

STARR

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page M12 (56 of 88)

July 2015

K9

L9

M9

N9

O9

P9

Q9

R9

S9

T9

U9

V9

W9

X9

Y9

Z9

M11


M12


M13

M14

M15

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88





Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

Limit of Study

Detailed Cross Section

Approximate Cross Section

BFE

BFE

BFE

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page M14 (58 of 88)

July 2015

0

750

1,500

3,000

Feet

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.

Willow Fishhook Rd - Schrock w/ Rd

M11

M12

M13

M14

M15

M16

M17

N11

N12

N13

N14

N15

N16

N17

O11

O12

O13

O14

O15

O16

O17

