




Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

— BFE —

— BFE —

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page 06 (71 of 88)

July 2015

0

750

1,500

3,000

Feet

N

E

S

W

M8

M9

N7


N8

N9

O6

O7

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

AE Floodway Zone

FLOODWAY


A Zone

Shaded Zone X

D Zone

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
Page O7 (72 of 88)
July 2015

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

AE Floodway Zone

FLOODWAY

A Zone

A

A

Shaded Zone X

0.2%

0.2%

D Zone

D

D

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page 010 (73 of 88)

July 2015

0


750

1,500

3,000

Feet

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

Limit of Study

Detailed Cross Section

Approximate Cross Section

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page 011 (74 of 88)

July 2015

0

750

1,500

3,000

Feet

M8

M9

M11

M12

M13

M14

N8

N9

N10

N11

O10

O11


O12

O13

O14

P13

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.



Mapping

	AE Zone	Floodway Zone	A Zone	Shaded Zone X	D Zone
Effective SFHAs	AE 12	AE	A	0.2%	D
New Study SFHAs	AE 12	FLOODWAY	A	0.2%	D

Limit of Study


Detailed Cross Section

Approximate Cross Section

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
Page 012 (75 of 88)
July 2015

STARR

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE 12

AE 12

Floodway Zone

FLOODWAY

FLOODWAY

A Zone

A

A

Shaded Zone X

0.2%

0.2%

D Zone

D

D

FEMA Region X

Matanuska-Susitna Borough, Alaska


Flood Hazard Study Draft Workmaps

Page 013 (76 of 88)

July 2015

M11	M12	M13	M14	M15	M16
N10	N11	N12	N13	N14	N16
O10	O11	O12	O13	O14	O16
P13	P14	P15	P16	P17	P18

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

0 750 1,500 3,000 Feet

FEMA Region X
Matanuska-Susitna Borough, Alaska
Flood Hazard Study Draft Workmaps
Page 014 (77 of 88)
July 2015

011

012

013

014

015

016

017

011

012

013

014

015

016

017

P13

P16

P17

011

012

013

014

015

016

017

N11

N16

N17

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAS

New Study SFHAS

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE Zone

AE 12

AE 12

AE 12

Floodway Zone

Floodway Zone

FLOODWAY

FLOODWAY

FLOODWAY

A Zone

A Zone

A

A

A

Shaded Zone X

Shaded Zone X

0.2%

0.2%

0.2%

D Zone

D Zone

D

D

D

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page 015 (78 of 88)

July 2015

STARR

0

750

1,500

3,000

Feet

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88

M12

M13

M14

M15

M16

M17

M18

O12

O13

O14

O15

O16

O17


O18

P13

P16

P17

P18



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE Zone

AE 12

AE 12

AE 12

Floodway Zone

Floodway Zone

FLOODWAY

FLOODWAY

FLOODWAY

A Zone

A Zone

A

A

A

Shaded Zone X

Shaded Zone X

0.2%

0.2%

0.2%

D Zone

D Zone

D

D

D

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page 016 (79 of 88)

July 2015

STARR

M13

M14

M15

M16

M17

M18

O13

O14

O15

O16

O17

O18

O19

P13


P16

P17

P18

P19

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

AE Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

0 750 1,500 3,000 Feet

FEMA Region X

Matanuska-Susitna Borough, Alaska


Flood Hazard Study Draft Workmaps

Page 017 (80 of 88)

July 2015

M14	M15	M16	M17	M18
		N16	N17	N18
O14	O15	O16	O17	O18
		P16	P17	P18

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88



Mapping

Effective SFHAs

New Study SFHAs

Limit of Study

Detailed Cross Section

Approximate Cross Section

AE Zone

Floodway Zone

A Zone

Shaded Zone X

D Zone

AE 12

AE

A

0.2%

D

AE 12

FLOODWAY

A

0.2%

D

Limit of Study

Detailed Cross Section

Approximate Cross Section

0

750

1,500

3,000

Feet

FEMA Region X

Matanuska-Susitna Borough, Alaska

Flood Hazard Study Draft Workmaps

Page O19 (82 of 88)

July 2015

STARR

M16

M17

M18

N16

N17

N18

O16

O17

O18

O19

P16

P17

P18

P19

* Elevations are referenced to the North American Vertical Datum of 1988. The current effective Flood Insurance Rate Maps are referenced to the North American Vertical Datum of 1988. For the Effective FIS report and FIRM, elevations were converted from NGVD29 to NAVD88 by adding 6.1 feet to the NGVD29 elevations for Deception Creek, Deception Creek Tributaries, Willow Creek, and Willow Creek Tributaries. A conversion factor of 6.2 feet was used for Little Susitna and Little Susitna Split Flows. All flood elevations shown in this FIS report and on the FIRM are referenced to NAVD88. Structure and ground elevations in the community must, therefore, be referenced to NAVD88.