From: bobkleinak@gmail.com
To: CED AMCO REGS (CED sponsored)
Subject: Comment on Proposed Changes to 3 AAC 304.185
Date: Tuesday, August 24, 2021 1:08:35 PM

Within the proposed regulation to repeal and readopt 3 AAC 304.185, Paragraph f lists several license types, but does not include “a distillery under AS 04.11.170”.

We believe this is an error of omission and distilleries should be included.

Thank you.
Anchorage Distillery, LLC
Robert Klein

From:	Patricia White
To:	CED AMCO REGS (CED sponsored)
Subject:	Re: 2021200360-NOTICE OF PROPOSED CHANGES ON LICENSED PREMISES IN THE REGULATIONS OF THE ALCOHOLIC BEVERAGE CONTROL BOARD
Date:	Tuesday, September 28, 2021 5:03:07 PM

Jane,
On September 21, the City Council for the City of Delta Junction opted to take no action on the proposed changes to the Alaska Administrative Code.

Patricia E. White
City Clerk
City of Delta Junction
PO Box 229
Delta Junction, Alaska 99737
(907) 895-4219

On Tue, Aug 24, 2021 at 3:45 PM CED AMCO REGS (CED sponsored) <amco.regs@alaska.gov> wrote:

> Dear Local Governments,
>
> Please see attached proposed regulations regarding licensed premises of the Alcoholic Beverage Control Board. This regulation is open for public comment until October 26, 2021, at 4:30 p.m. Your comments and questions may be submitted to the Alcohol and Marijuana Control Office at amco.regs@alaska.gov or through the Online Public System http://notice.alaska.gov/203507
>
> The attached amendment to the regulations might affect you and your processes. The board wants to hear from local governments. All and any comments are welcomed.
>
> Respectfully,
>
> *Jane P Sawyer*
>
> Regulations Specialist
>
> Alcohol & Marijuana Control Office
>
> 550 W 7th Avenue, Ste. 1600,
>
> Anchorage, AK 99501
>
> 907-269-0490

From: Sawyer, Jane Preston (CED)
To: CED AMCO REGS (CED sponsored)
Subject: RE: ABC Project out for p.c.: licensed premises
Date: Wednesday, September 1, 2021 4:17:26 PM

From: Sawyer, Jane Preston (CED) <jane.sawyer@alaska.gov>
Sent: Wednesday, September 1, 2021 4:13 PM
To: CED AMCO REGS (CED sponsored) <amco.regs@alaska.gov>
Subject: ABC Project out for p.c.: licensed premises

For the project's record:

I spoke with officials from Delta Junction, and the muni of Anchorage, separately, today.

Delta Junction's concerns were more about not being sure how the regulation would affect them as a local government but because my notice to local governments about the regulation project included a comment about the ABC Board wanting to hear from local government on the project so they were calling to ask. They do not have to provide public comment at all, but the board is interested in hearing from them. There was also confusion about which language to consider (the lower case language or the upper case language), I cleared that up for them. I suggested to them to really look at section (f) and consider how that would affect them in terms of any processes they would need to implement for this requirement. I encouraged them to submit comment, but they are not required.

The muni of Anchorage was confused about the language and the intent. They had a question about whether this affects Duplicate Licenses to which my answer was no, Duplicate Licenses were not in board's discussion for regulation drafting purposes, and they are not considered in the drafted language. I explained that the intent is to have the same effect as during the COVID-19 emergency declaration in terms of a licensee being able to serve alcoholic beverages for consumption outside of the licensed business (but, of course approved) but not farther than 50 feet from the entry to it. I further clarified that this draft does not allow for curbside pick up or home delivery – those emergency regulations are no longer active even though they are still written on the books. They asked if the draft was essentially trying to make AB-15 a permanent thing rather than just emergency related thing to which I responded "yes". The muni also expressed that 60 days was not long enough time for them, particularly, to submit comment for regulation projects in general.

I will type up a couple of FAQs based on both conversations.

Jane P. Sawyer, Regulations Specialist
DCCED-Alcohol and Marijuana Control Office
550 W. 7th Avenue, Suite 1600
Anchorage, AK 99501
907-269-0490