Bailey, Mark E (CED)

From: Marijuana Licensing (CED sponsored)
Sent: Thursday, January 04, 2018 11:35 AM
To: erika merklin; Marijuana Licensing (CED sponsored)
Subject: RE: Lic. 14263 DBA Resurrected Dreams Corrections

Categories: Completed downloaded electronically

Good morning Erika,

Couple more things with the corrections

- MJ-01
  - The licensee field needs to be the one you are applying as, in this case since you are sole proprietor it should be your name. This should match what is on your cover page.
- MJ-02 Diagram
  - If you could outline the restricted access area/licensed premises in red that would make it clear for the board. If you will have the entire floor plan diagram be licensed/restricted access then you can outline the exterior of the rooms on the diagram. Please do this for any diagrams that will be licensed (different floors)
- MJ-00 Page 3
  - Please initial the box which applies to your license type.

If you get these back to me before 3pm I can give you more feedback regarding any needed corrections if necessary.

Best,

Mark Bailey
Occupational Licensing Examiner
Alcohol & Marijuana Control Office
550 West 7th Avenue, Suite 1600
Anchorage, Alaska 99501

Please consider the environment before printing this e-mail. Less paper is better for us and our environment.

From: erika merklin [mailto:erikajane@yahoo.com]
Sent: Wednesday, January 03, 2018 1:17 PM
To: Marijuana Licensing (CED sponsored) <marijuana.licensing@alaska.gov>
Cc: Erika Merklin <erikajane@yahoo.com>
Subject: Re: Lic. 14263 DBA Resurrected Dreams Corrections

Mark,

Thanks again for getting back to me so quickly. I have attached the corrections you requested. I hope this is all you need. But if not, please accept my apologies now and let me know. I hope to make it on the agenda in January. Also, I am planning on being in Juneau on the 24th and 25th, though no one from AMCO has returned my request for the definitive dates for the next meeting.

Thank you,
Erika Merklin

On Tue, Jan 2, 2018, 9:38:16 AM, Marijuana Licensing (CED sponsored) <marijuana.licensing@alaska.gov> wrote:

Good morning Erika,

I have looked over your corrections and there are still a few items that need to be addressed.

- MJ-00
    - You initialed the box on page 3 intended for Marijuana Testing Facilities. Please initial the one that applies to you.
- MJ-01
    - The DBA field was corrected but the Licensee field was not.
- MJ-02
    - The restricted access area indicated on your diagram would not comply with regulations.
    - Restricted Access areas per 3 AAC 306.710(a) mean:
        - (a) A marijuana establishment shall restrict access to any part of the licensed premises where marijuana or a marijuana product is grown, processed, tested, stored, or stocked.
    - Essentially anywhere you will be growing, storing, or processing Marijuana will need to be restricted access. That means at a minimum the areas where you will have storage, vegetation/cloning and flowering will need to be restricted access. If you are planning on processing any of the harvest in the middle room that would need to be restricted access as well.
- Business License
    - Your business license is currently expired with the new year. Please renew it with CBPL.

You only need to return the pages that need corrections. You may also scan and email them if you do not want to physically mail them to our office. I have noticed the scan quality is going down with the contact scanning and printing so if you want to submit a fresh diagram you are more than welcome to.

If you have any questions please feel free to call me at my direct line, (907) 269-0358.

Best,

Mark Bailey

Occupational Licensing Examiner

Alcohol & Marijuana Control Office

550 West 7th Avenue, Suite 1600

Anchorage, Alaska 99501

Please consider the environment before printing this e-mail. Less paper is better for us and our environment.