Jana
D. Weltzin Licensed
in Alaska & Arizona
3003 Minnesota
Blvd., Suite 201
Anchorage, Alaska 99501
Phone 630-913-1113
Main Office 907-231-3750
JDW, LLC
jana@jdwcounsel.com

March 15, 2018

Marijuana Control Board
Director McConnell
Sent via Email

Re: Alaskan Pharms, LLC License No. 13785 – Public Objection from Charles and Sherrell

Dear MCB Members, Director McConnell & AMCO Enforcement:

This correspondence is submitted on behalf of License No. 13785 in response to the public objection received from Charles and Sherrell to the cultivation facility application.

The business, Community Connections, that Charles and Sherrell reference in the objection letter is in fact a day care facility and is well over 500 feet from the proposed premises. The day care is approximately half a mile from the cultivation facility premises. The community beach mentioned in the objection letter is more than a half mile in distance from the proposed facility.

My client, John Wright, has more than adequately satisfied his public notice requirements. He advertised in the local newspaper, he hung his public notice at the proposed cultivation facility premises as well as at the local grocery store bulletin board. Additionally, John went door to door in his community and obtained the signatures of 68% of the permanent residents who reside within 1 mile of the proposed facility. Seeing as the objector, Mr. Don, noticed my clients newspaper ad, it seems that the public notice process fulfilled the intent of the regulation.

My client, John Wright, has every intention of operating his cultivation facility within the laws and regulations which govern such establishments. He has diligently obtained the signatures of 68% of the permanent residents that reside within 1 mile of the proposed premises. Sixty Eight

Received by AMCO 3.22.18

percent of the permanent residents is well over half of the local community declaring their non-objection to this marijuana facility license.

Thank you for your consideration,

Jana D. Weltzin, Esq.

Received by AMCO 3.22.18