From:	Marijuana Licensing (CED sponsored)
To:	"puffyouak@gmail.com"; "Valerie Mastolier"; "Jana Weltzin"
Cc:	Marijuana Licensing (CED sponsored)
Subject:	Follow up on corrections received 5.22-23.18-Puffin AK license #13614 (Standard)
Date:	Tuesday, May 22, 2018 9:34:00 AM
Attachments:	13614 MJ-02 Premises Diagram - Cultivation.pdf 13614 diagram.pdf

---

Hello,

The application is still incomplete:

- Just to clarify, the entrance to the bathroom is not from the outside of the building, correct? The entrance to the bathroom is within the licensed premises, correct? So, the bathroom should be part of the licensed premises, enclosed within the green outline or yellow/light green outline, depending on what diagram you are looking at, BUT not restricted access area (in a nutshell, if you leave the bathroom unlicensed you would need to have a camera at the entrance/exit of the bathroom, the same as if it were restricted access area).
- Can you please use words or a different color to identify the entrance/exit of the premises. For a minute I thought yellow meant restricted access.

Thank you
Jane

Jane P Sawyer
Occupational Licensing Examiner|Alcohol & Marijuana Control Office
550 W 7th Avenue, Ste. 1600, Anchorage, AK 99501| 907-269-0350