CORRESPONDENCE

THE STATE of ALASKA
GOVERNOR MICHAEL J. DUNLEAVY

Department of Commerce, Community, and Economic Development

Alcohol and Marijuana Control Office

550 West 7th Avenue, Suite 1600
Anchorage, AK 99501
Main: 907.269.0350

November 6, 2019

Ayme Zantua; Kanoe M Zantua
DBA: Cannabis Corner
Via email: akcannabiscorner@gmail.com; aymecardwell@aol.com

Re: Application for addition of Onsite Consumption Endorsement to Retail Marijuana Store License #10590

Dear applicant,

The AMCO Office has reviewed the documents submitted for the onsite consumption endorsement application for the license referenced above. This letter is notice under 3 AAC 306.025(e)(2) that your application is incomplete and additional items are needed to complete the application. The additional items that need correction or resubmittal are listed below—please be sure to read the entire letter. **Please note that if the corrections and/or additional documents submitted in response to this letter are not found to be complete, your application will be returned to you in accordance with 3 AAC 306.025(e)(1), and you will need to file a new application and pay a new fee should you wish to continue pursuing licensure.**

- **MJ-28b OCE Operating Plan Supplemental**
  - Page 4, Section 3.2:
    - A signed and approved ventilation plan was not provided with your application.
  - Page 5, Section 7.1 (Cannabis Dosage and Safety Information):
    - On the additional page with dosage and safety information, there are discrepancies in the fourth warning statement. The words that are missing are in bold:
      - For use **only** by adults twenty-one and older. Keep out of **the** reach of children.
  - A page with information about a MARK-10-V Commercial Air Cleaner was submitted, but is too blurry to read any information other than the name. Please provide a clearer copy.
- **MJ-14 Licensed Premises Diagram Change**
  - Some of the room labels and many of the dimensions are difficult to see. Can you provide a copy of this diagram with clearer labeling?
  - Please label the following information:
    - The area where surveillance equipment is stored
    - The Point of Sale area
  - Is the sales counter designated as a restricted access area? It appears that the area behind the counter is restricted access, but not the counter itself. Under 3 AAC 306.325(c), an area where marijuana is stocked or dispensed for sale is a restricted access area.
  - It isn't clear where the Restricted Access Areas begin and end between the sales area and break room. Can you show on your diagram where the Restricted Access Area ends within the area circled in purple on the next page?



- **MJ-07a OCE Public Notice Posting Affidavit**
  - Per 3 AAC 306.025(c), notice of this application to the public must be completed within ninety (90) days of submitting all application documents and fees to AMCO. However, more than ninety days passed from the date that your notices ended to the date that all forms and fees were submitted. It will be necessary to re-post a copy of your Public Notice at the licensed premises and one other conspicuous location for **ten** days. Afterward, complete a new MJ-07a.
  - Section 2 – Certification:
    - Include the address of the other conspicuous location.
- **MJ-08a OCE Local Government Notice Affidavit**
  - Due to the requirements of 3 AAC 306.025(c), you will need to provide a new Public Notice to your local government. Afterward, complete and submit a new MJ-08a.
  - Section 2 – Certification:
    - Please ensure that the date that the document was signed is accurate. This copy states that your signature was notarized on June 18, 20**20**.
- **Publisher's Affidavit**
  - Per 3 AAC 306.025(c), it will be necessary to re-advertise your onsite consumption endorsement application in a newspaper **once a week for three consecutive weeks**. Afterward, provide a new affidavit from the publisher that includes a copy of the advertisement.

It is very important that you submit the above corrections and/or documents in a timely manner so that AMCO staff has adequate time to review the corrections and/or additional documents which must be found to be complete within 90 days of the date of this letter.

Respectfully,

TJ Zielinski, Occupational Licensing Examiner
For,
Erika McConnell, Director
marijuana.licensing@alaska.gov

From:	Marijuana Licensing (CED sponsored)
To:	akcannabiscorner@gmail.com; Ayme Cardwell
Cc:	Marijuana Licensing (CED sponsored)
Subject:	Incomplete Onsite Consumption Endorsement Application - Cannabis Corner, License #10590
Date:	Wednesday, November 6, 2019 9:15:37 AM
Attachments:	10590 Incomplete Onsite Consumption Notice.pdf image001.png

---

Good morning,

I have reviewed your application for an onsite consumption endorsement, but at this time your application is considered incomplete. See the attached notice regarding corrections, additional documents, and/or resubmittals that need to be addressed in your application.

Please make sure to read the entire notice. If the submitted corrections for your application are inadequate to deem your application complete, or your application is still incomplete after ninety (90) days from the date of this notice, your application will be returned to you in accordance with 3 AAC 306.025(e)(1) and 3 AAC 306.025(f). Should you wish to continue pursuing licensure, it would be necessary to file a new application and pay new fees.

Ninety-day Due Date: 2/4/2020

Let us know if you require copies of any submitted documents, and feel free to call or email if you need clarification on any items in the Incomplete Notice. Correspondence should be sent to marijuana.licensing@alaska.gov.

Sincerely,

TJ Zielinski
Occupational Licensing Examiner
Alcohol & Marijuana Control Office
550 West 7th Avenue, Suite 1600
Anchorage, Alaska 99501

From:	Marijuana Licensing (CED sponsored)
To:	Kanoe/Ayme Zantua
Cc:	Marijuana Licensing (CED sponsored)
Subject:	RE: lic#10590 onsite consumption application corrections
Date:	Thursday, December 5, 2019 3:54:58 PM
Attachments:	MJ-14 Corrected.pdf Initial Floor Plan Diagram.pdf image001.png

---

Good afternoon,

I finished reviewing your corrections, and your application is very close to being complete. However, there are a couple of details that were changed on your diagram that will need to be adjusted.

- Please remove the "unrestricted access" label, and the green highlighting in the interior of the building.
- The "Licensed Premises" label was removed, but should be added back. You have the entire facility outlined in red, which per the legend represents a restricted access area. It looks like the same shade as red that you used to highlight the restricted access areas inside. Can you use a different color to outline the outside of the building and label it as the licensed premises?

I have attached a copy of your most recent diagram, as well as the initial diagram that you submitted (the licensed premises is labeled on this one) for reference.

Sincerely,

TJ Zielinski
Occupational Licensing Examiner
Alcohol & Marijuana Control Office
550 West 7th Avenue, Suite 1600
Anchorage, Alaska 99501

From: Kanoe/Ayme Zantua [mailto:akcannabiscorner@gmail.com]
Sent: Thursday, December 5, 2019 2:23 PM
To: Marijuana Licensing (CED sponsored) <marijuana.licensing@alaska.gov>
Subject: lic#10590 onsite consumption application corrections

Hello,

attached are our corrected documents that were requested for our onsite consumption endorsement.

Please let us know if we need to make any additional changes. Thank you.

- Kanoe Zantua
Cannabis Corner
Lic# 10590
907-254-0878