

# Notice of Violation

(3AAC 306.805)

This form, all information provided and responses are public documents per Alaska Public Records ACT AS 40.25

Date: 10/21/21

License #/Type: 20366 Marijuana Retail Stores

Licensee: Aaron Morse

Address: 2600 E. Tudor Road, Anchorage, AK

DBA: Great Northern Cannabis

AMCO Case #: AM21-1143

This is a notice to you as licensee that an alleged violation has occurred. If the Marijuana Control Board decides to act against your license, under the provisions of AS 44.62.330 - AS 44.62.630 (Administrative Procedures Act) you will receive an Accusation and Notice of your right to an Administrative Hearing.

Note: This is not an accusation or a criminal complaint.

On Thursday, October 21st, 2021 at approximately 11:00 am Alcohol & Marijuana Control investigators were in the area of 2600 E. Tudor Road in Anchorage AK, near the Great Northern Cannabis marijuana retail store when investigators observed four (4) double sided custom feather flag banners, three (3) had the Great Northern Cannabis Logo and one (1) was advertising award winning flower.

Investigators advised the employees at Great Northern Cannabis of the violation and they did remove the signs from the exterior street and parking area.

This is a violation of:

3 AAC 306.770. Signs, merchandise, advertisements, and promotions

(b)

(g) 1,2,3,4,5

**3 AAC 306.805 provides that upon receipt of a Notice of Violation, a licensee may request to appear before the board and be heard regarding the Notice of Violation. The request must be made within ten days after receipt of the Notice of Violation. A licensee may respond, either orally or in writing to the Notice. 3 AAC 306.810 (2)(A)(B)(C) failed, within a reasonable time after receiving a notice of violation, to correct any defect that is the subject of the notice of violation of AS 17.8 or this chapter.**

**IT IS RECOMMENDED THAT YOU RESPOND IN WRITING TO DOCUMENT YOUR RESPONSE FOR THE MARIJUANA CONTROL BOARD.**

**\*Please send your response to the address below and include your marijuana license number in your response.**

Alcohol & Marijuana Control Office

ATTN: Enforcement

550 W. 7<sup>th</sup> Ave, Suite 1600

Anchorage, Alaska 99501

[amco.enforcement@alaska.gov](mailto:amco.enforcement@alaska.gov)

Issuing Investigator: K. Whiteman

Received by:

SIGNATURE:



SIGNATURE:

Delivered VIA: Email

Date:

# Notice of Violation

(3AAC 306.805)

This form, all information provided and responses are public documents per Alaska Public Records ACT AS 40.25

Date: 10/21/21

License #/Type: 21725 Standard Marijuana Cultivation Facilities

Licensee: James Millhouse

Address: 407 E Northern Lights Blvd. 2A Anchorage, AK 99503

DBA: The Red Light District

AMCO Case #: AM 21-1147

This is a notice to you as licensee that an alleged violation has occurred. If the Marijuana Control Board decides to act against your license, under the provisions of AS 44.62.330 - AS 44.62.630 (Administrative Procedures Act) you will receive an Accusation and Notice of your right to an Administrative Hearing.

Note: This is not an accusation or a criminal complaint.

On Wednesday, October 13th, 2021 at approximately 12:30 pm Investigators from the Alcohol & Marijuana Control Office were traveling westbound on Northern Light Blvd near the Red Light District cultivation and retail store on Eagle street. Investigators did detect a strong odor of marijuana coming from the area of your facility. An email was sent the following day advising the licensee to correct the odor issue.

Thursday, October 21st, 2021 at approximately 6:00 pm an investigator from the Alcohol & Marijuana Control Office did detect a strong odor of marijuana coming from the marijuana cultivation and retail store The Red Light District located at the above address.

This is a violation of:

3 AAC 306.430. Restricted access area

(c) A marijuana cultivation facility shall ensure that any marijuana at the marijuana cultivation facility

(2) does not emit an odor that is detectable by the public from outside the cultivation facility except as specifically allowed by a local government approval

**3 AAC 306.805 provides that upon receipt of a Notice of Violation, a licensee may request to appear before the board and be heard regarding the Notice of Violation. The request must be made within ten days after receipt of the Notice of Violation. A licensee may respond, either orally or in writing to the Notice. 3 AAC 306.810 (2)(A)(B)(C) failed, within a reasonable time after receiving a notice of violation, to correct any defect that is the subject of the notice of violation of AS 17.8 or this chapter.**

**IT IS RECOMMENDED THAT YOU RESPOND IN WRITING TO DOCUMENT YOUR RESPONSE FOR THE MARIJUANA CONTROL BOARD.**

**\*Please send your response to the address below and include your marijuana license number in your response.**

Alcohol & Marijuana Control Office  
ATTN: Enforcement  
550 W. 7<sup>th</sup> Ave, Suite 1600  
Anchorage, Alaska 99501  
[amco.enforcement@alaska.gov](mailto:amco.enforcement@alaska.gov)

Issuing Investigator: K. Whiteman

Received by:

SIGNATURE:



SIGNATURE:

Delivered VIA: Email

Date:

# Notice of Violation

(3AAC 306.805)

This form, all information provided and responses are public documents per Alaska Public Records ACT AS 40.25

Date: 11/12/21

License #/Type: 10299 Standard Marijuana Cultivation Facilities

Licensee: Christina Marie Euscher

Address: 7801 King Street, Anchorage, AK

DBA: R.C. Tinderbox

AMCO Case #: AM21-1243

This is a notice to you as licensee that an alleged violation has occurred. If the Marijuana Control Board decides to act against your license, under the provisions of AS 44.62.330 - AS 44.62.630 (Administrative Procedures Act) you will receive an Accusation and Notice of your right to an Administrative Hearing.

Note: This is not an accusation or a criminal complaint.

On 11-11-21, at about 1555 hours, I was traveling south on King St. from 76th Ave. As I approached Blinds Unlimited, I began to smell the distinct odor of unburnt marijuana emanating from R.C. Tinderbox. I continued south on King St. and turned east onto Calista Ct. The odor was still very noticeable. I then turned north onto Schoon St. I could still smell the marijuana. As I was passing AK Joint, I could not detect the odor. From Schoon St. I turned west onto 77th St. and departed the area. The wind was blowing from the north.

Your attention is directed to 3AAC 306.430(c)(2) which reads in part (c) A marijuana cultivation facility shall ensure that any marijuana at the marijuana cultivation facility (2) does not emit an odor that is detectable by the public from outside the cultivation facility except as specifically allowed by a local government approval.

**3 AAC 306.805 provides that upon receipt of a Notice of Violation, a licensee may request to appear before the board and be heard regarding the Notice of Violation. The request must be made within ten days after receipt of the Notice of Violation. A licensee may respond, either orally or in writing to the Notice. 3 AAC 306.810 (2)(A)(B)(C) failed, within a reasonable time after receiving a notice of violation, to correct any defect that is the subject of the notice of violation of AS 17.8 or this chapter.**

**IT IS RECOMMENDED THAT YOU RESPOND IN WRITING TO DOCUMENT YOUR RESPONSE FOR THE MARIJUANA CONTROL BOARD.**

**\*Please send your response to the address below and include your marijuana license number in your response.**

Alcohol & Marijuana Control Office  
ATTN: Enforcement  
550 W. 7<sup>th</sup> Ave, Suite 1600  
Anchorage, Alaska 99501  
[amco.enforcement@alaska.gov](mailto:amco.enforcement@alaska.gov)

Issuing Investigator: F.R. Hamilton

Received by:

SIGNATURE:



SIGNATURE:

Delivered VIA: Email

Date:

# Notice of Violation

(3AAC 306.805)

This form, all information provided and responses are public documents per Alaska Public Records ACT AS 40.25

Date: License #/Type:  
Licensee: Address:  
DBA: AMCO Case #:

This is a notice to you as licensee that an alleged violation has occurred. If the Marijuana Control Board decides to act against your license, under the provisions of AS 44.62.330 - AS 44.62.630 (Administrative Procedures Act) you will receive an Accusation and Notice of your right to an Administrative Hearing.

Note: This is not an accusation or a criminal complaint.

**3 AAC 306.805 provides that upon receipt of a Notice of Violation, a licensee may request to appear before the board and be heard regarding the Notice of Violation. The request must be made within ten days after receipt of the Notice of Violation. A licensee may respond, either orally or in writing to the Notice. 3 AAC 306.810 (2)(A)(B)(C) failed, within a reasonable time after receiving a notice of violation, to correct any defect that is the subject of the notice of violation of AS 17.8 or this chapter.**

**IT IS RECOMMENDED THAT YOU RESPOND IN WRITING TO DOCUMENT YOUR RESPONSE FOR THE MARIJUANA CONTROL BOARD.**

**\*Please send your response to the address below and include your marijuana license number in your response.**

Alcohol & Marijuana Control Office  
ATTN: Enforcement  
550 W. 7<sup>th</sup> Ave, Suite 1600  
Anchorage, Alaska 99501  
[amco.enforcement@alaska.gov](mailto:amco.enforcement@alaska.gov)

Issuing Investigator:

Received by:

SIGNATURE: *Jeff Runkus*

SIGNATURE:

Delivered VIA:

Date:

## Davies, Jason M (CED)

---

**From:** Rukes, Jeffrey B (CED)  
**Sent:** Friday, December 3, 2021 9:55 AM  
**To:** Davies, Jason M (CED)  
**Cc:** Hoelscher, James C (CED)  
**Subject:** FW: ODOR NOV

---

**From:** Fuzzy Millhouse [mailto:bigdaddyfuzzy@yahoo.com]  
**Sent:** Friday, December 3, 2021 9:49 AM  
**To:** Rukes, Jeffrey B (CED) <jeff.rukes@alaska.gov>  
**Subject:** Re: ODOR NOV

Hello,

Thank you for reaching out to us. We had just changed our air filters last month. I will change them again. I don't know if its because the building is old and might be leaking some smell or if its something else. We are currently in the process of building a new cultivation facility and plan to move there when its approved. This new building and new location will be state of the art and should have no smell issues whatsoever.

Thank you,  
Fuzzy Millhouse

On Dec 2, 2021, at 12:50 PM, Rukes, Jeffrey B (CED) <[jeff.rukes@alaska.gov](mailto:jeff.rukes@alaska.gov)> wrote:

<image001.png>

<Green Go Odor.pdf>

# Notice of Violation

(3AAC 306.805)

This form, all information provided and responses are public documents per Alaska Public Records ACT AS 40.25

Date: 12/2/21

License #/Type: 10237 Standard Marijuana Cultivation Facilities

Licensee: Smadar Warden

Address: 521 W. Tudor Road, Unit 202 Anchorage, AK

DBA: Alaskasense, LLC

AMCO Case #: AM21 1319

This is a notice to you as licensee that an alleged violation has occurred. If the Marijuana Control Board decides to act against your license, under the provisions of AS 44.62.330 - AS 44.62.630 (Administrative Procedures Act) you will receive an Accusation and Notice of your right to an Administrative Hearing.

Note: This is not an accusation or a criminal complaint.

On Thursday, December 2nd, 2021 at approximately 1:09 pm Anchorage Code Enforcement officers Elaine Quiboloy-Reid and Brad Larson were conducting a on-site inspection and did detect a noticeable odor of marijuana coming from Alaskasense / Cannabaska.

The Odor was detected on Bering Street which is west of the marijuana facilities.

Your attention is directed to:

3 AAC 306.430. Restricted access area

(c) A marijuana cultivation facility shall ensure that any marijuana at the marijuana cultivation facility

(2) does not emit an odor that is detectable by the public from outside the cultivation facility except as specifically allowed by a local government approval.

3 AAC 306.805 provides that upon receipt of a Notice of Violation, a licensee may request to appear before the board and be heard regarding the Notice of Violation. The request must be made within ten days after receipt of the Notice of Violation. A licensee may respond, either orally or in writing to the Notice. 3 AAC 306.810 (2)(A)(B)(C) failed, within a reasonable time after receiving a notice of violation, to correct any defect that is the subject of the notice of violation of AS 17.8 or this chapter.

IT IS RECOMMENDED THAT YOU RESPOND IN WRITING TO DOCUMENT YOUR RESPONSE FOR THE MARIJUANA CONTROL BOARD.

\*Please send your response to the address below and include your marijuana license number in your response.

Alcohol & Marijuana Control Office  
ATTN: Enforcement  
550 W. 7<sup>th</sup> Ave, Suite 1600  
Anchorage, Alaska 99501  
[amco.enforcement@alaska.gov](mailto:amco.enforcement@alaska.gov)

Issuing Investigator: K. Whiteman

Received by:

SIGNATURE: 

SIGNATURE:

Delivered VIA: Email

Date:



Jana D. Weltzin  
Licensed in Alaska & Arizona  
901 Photo Ave  
Anchorage, Alaska 99503  
Phone 630-913-1113  
Main Office 907-231-3750  
JDW, LLC  
jana@jdwcounsel.com

December 13, 2021

AMCO & Enforcement  
Marijuana Control Board  
*Sent Via Email*

Re: NOV AlaskaSense, LLC License No: 10237

Dear MCB and Enforcement Team:

This response is for the NOV dated December 2, 2021 in regard to odor.

AlaskaSense, LLC has been continuously working on their facility's odor control. On June 1<sup>st</sup>, 2021, AlaskaSense, LLC added:


- a 4 stage Carbon Stealth Box 4 into the top floor flower rooms 1-4 with 1300cfm circulation fan. Carbon Filtration was added in addition with pre-existing Single Carbon fan.
- a 4 stage Carbon Stealth Box 3 was added to the top floor main hallway and office area with a 1300cfm fan. Carbon Filtration was added in addition with two Single Carbon fans and a ceiling mounted LifeBreath Unit.
- A 3 stage Carbon Stealth Box 4 was added to lower-level flower rooms 5-10 with a 1300cfm circulation fan and one additional 1300cfm inline booster fan to improve adequate filtration. Carbon Stealth Box 4 was added in addition to two Single Carbon fans.
- 4 stage Carbon Sealth Box 4 added to the top floor wholesale room with 1300cfm circulation fan. Carbon Filtration replaced the previous single carbon filter exhaust, quadrupling exit air filtration.

Air filtration filters are changed on a facility choice of a 90-day rotation, with a manufacturer recommendation of once per year. All filtration is in correct working order as of 12-02-2021. Air vents, ducts and fans are working and free of ice or snow buildup. Both top floor and lower floor are maintaining a negative atmospheric pressure assuring that all air is correctly moving through the exhaust filtration and not escaping in an improper manner.

During extreme cold weather, odor control is harder to manage, however, AlaskaSense, LLC is working on additional odor control methods to battle Alaska's extreme cold weather.

Please feel free to contact me if you have any questions or concerns regarding this response.

Thank you for your consideration,



Jana D. Weltzin, Esq.

# Notice of Violation

(3AAC 306.805)

This form, all information provided and responses are public documents per Alaska Public Records ACT AS 40.25

Date: 12/15/21

License #/Type: 17692 Limited Marijuana Cultivation Facilities

Licensee: Matthew Shelton

Address: 3900 N. Sierra St. Wasilla, AK 99654

DBA: Mr. Happy Farms LLC

AMCO Case #: AM21 1375

This is a notice to you as licensee that an alleged violation has occurred. If the Marijuana Control Board decides to act against your license, under the provisions of AS 44.62.330 - AS 44.62.630 (Administrative Procedures Act) you will receive an Accusation and Notice of your right to an Administrative Hearing.

Note: This is not an accusation or a criminal complaint.

On Wednesday, December 15th, 2021 at approximately 1:07 pm AMCO investigators were in the area 3900 N. Sierra St. in Wasilla, AK and did detect an odor of marijuana coming from the facility Mr. Happy Farms LLC, the wind was gusting from the northeast toward the southwest.

Investigators attempted to and were unable contact the licensee for Mr. Happy Farms LLC by phone and in person at the licensed premises.

Your attention is directed to:

3 AAC 306.430. Restricted access area

(c) A marijuana cultivation facility shall ensure that any marijuana at the marijuana cultivation facility

(2) does not emit an odor that is detectable by the public from outside the cultivation facility except as specifically allowed by a local government approval.

**3 AAC 306.805 provides that upon receipt of a Notice of Violation, a licensee may request to appear before the board and be heard regarding the Notice of Violation. The request must be made within ten days after receipt of the Notice of Violation. A licensee may respond, either orally or in writing to the Notice. 3 AAC 306.810 (2)(A)(B)(C) failed, within a reasonable time after receiving a notice of violation, to correct any defect that is the subject of the notice of violation of AS 17.8 or this chapter.**

**IT IS RECOMMENDED THAT YOU RESPOND IN WRITING TO DOCUMENT YOUR RESPONSE FOR THE MARIJUANA CONTROL BOARD.**

**\*Please send your response to the address below and include your marijuana license number in your response.**

Alcohol & Marijuana Control Office  
ATTN: Enforcement  
550 W. 7<sup>th</sup> Ave, Suite 1600  
Anchorage, Alaska 99501  
[amco.enforcement@alaska.gov](mailto:amco.enforcement@alaska.gov)

Issuing Investigator: K. Whiteman

Received by:

SIGNATURE:



SIGNATURE:

Delivered VIA: Email

Date:

## Davies, Jason M (CED)

---

**From:** matthew shelton <msmatt02@gmail.com>  
**Sent:** Thursday, December 23, 2021 9:42 AM  
**To:** Davies, Jason M (CED)  
**Subject:** Re: Mr. Happy Farms, #17692 Notice of Violation  
**Attachments:** IMG\_9963.jpeg; IMG\_9965.jpeg; IMG\_9964.jpeg

**Categories:** CHECK BACK AND COMPLETE


After receiving your email on 12/16/21 about odor I checked my one active vent, being my mother and vegetative rooms a/c unit. I had to get within 5' of the discharge vent to smell an odor. This is approximately 320' from the nearest public access which is at the end of a private driveway on a residential lot and therefore is not "detectable by the public". Regardless, I have since changed the carbon filters in the in-line filtration systems to eliminate the odor. Photos are attached here of the new filters in place.

I've attached a couple pictures of the carbon filter box for clarification

Sincerely,  
Matthew Shelton.







# Notice of Violation

(3AAC 306.805)

This form, all information provided and responses are public documents per Alaska Public Records ACT AS 40.25

Date: 12/20/21

License #/Type: 10237 Standard Marijuana Cultivation Facilities

Licensee: Smadar Warden

Address: 521 W. Tudor Road, Unit 202 Anchorage, AK

DBA: Alaskasense, LLC

AMCO Case #: AM21 1436

This is a notice to you as licensee that an alleged violation has occurred. If the Marijuana Control Board decides to act against your license, under the provisions of AS 44.62.330 - AS 44.62.630 (Administrative Procedures Act) you will receive an Accusation and Notice of your right to an Administrative Hearing.

Note: This is not an accusation or a criminal complaint.

On Monday, December 20th, 2021 AMCO enforcement did receive an odor complaint in the area of W. Tudor Rd. near AlaskaSense and Cannabaska a marijuana retail store and cultivation located in Anchorage, AK. At approximately 2:13 pm while in the area I did detect a noticeable odor of marijuana coming from Alaskasense / Cannabaska.

The odor was detected south of the cultivation / retail building across W. Tudor Rd. in the parking lot of Jimmy Sushi and Dragon seafood restaurant. The wind was coming from the north and gusting to the south.

Your attention is directed to:

3 AAC 306.430. Restricted access area

(c) A marijuana cultivation facility shall ensure that any marijuana at the marijuana cultivation facility

(2) does not emit an odor that is detectable by the public from outside the cultivation facility except as specifically allowed by a local government approval.

**3 AAC 306.805 provides that upon receipt of a Notice of Violation, a licensee may request to appear before the board and be heard regarding the Notice of Violation. The request must be made within ten days after receipt of the Notice of Violation. A licensee may respond, either orally or in writing to the Notice. 3 AAC 306.810 (2)(A)(B)(C) failed, within a reasonable time after receiving a notice of violation, to correct any defect that is the subject of the notice of violation of AS 17.8 or this chapter.**

**IT IS RECOMMENDED THAT YOU RESPOND IN WRITING TO DOCUMENT YOUR RESPONSE FOR THE MARIJUANA CONTROL BOARD.**

**\*Please send your response to the address below and include your marijuana license number in your response.**

Alcohol & Marijuana Control Office  
ATTN: Enforcement  
550 W. 7<sup>th</sup> Ave, Suite 1600  
Anchorage, Alaska 99501  
[amco.enforcement@alaska.gov](mailto:amco.enforcement@alaska.gov)

Issuing Investigator: K. Whiteman

Received by:

SIGNATURE:



SIGNATURE:

Delivered VIA: Email

Date:



Jana D. Weltzin  
Licensed in Alaska & Arizona  
901 Photo Ave, Second Floor  
Anchorage, Alaska 99503  
Phone 907-231-3750  
JDW, LLC  
jana@jdwcounsel.com

December 28, 2021

AMCO & Enforcement  
Marijuana Control Board  
*Sent Via Email*

**Re: NOV AlaskaSense, LLC License No: 10237**

Dear MCB and Enforcement Team:

This letter is in response to the *Notice of Violation* (NOV), dated December 20<sup>th</sup>, 2021, in regard to odor, under 3 AAC 306.430(c)(2). AlaskaSense, LLC (AlaskaSense) has been continuously working to improve on their facility's odor control methods. In addition to their existing eight (8) HVAC systems already in place, four (4) more carbon filtration systems and fans were added to the facility on June 1<sup>st</sup>, 2021.

On December 16<sup>th</sup>, 2021, AlaskaSense installed two (2) 12 inch by 48 inch CanLite Charcoal filters with 1800 cfm fans to further reduce odor from escaping the facility. AlaskaSense continues to be fully committed in their upgrades and improvements to ensure they are in compliance with AMCO's code enforcement.

Air filtration filters are changed on a facility choice of a 90-day rotation, with a manufacturer recommendation of once per year. All filtration is in correct working order as of December 20<sup>th</sup>, 2021. Air vents, ducts and fans are working and free of ice or snow buildup. Both top floor and lower floor are maintaining a negative atmospheric pressure assuring that all air is correctly moving through the exhaust filtration and not escaping in an improper manner.

During extreme cold weather, odor control is harder to manage. AlaskaSense believes these most recent improvements can succeed in reducing odor during Alaska's winter months.

Please feel free to contact me if you have any questions or concerns regarding this response.

Truly and Sincerely Yours,

A handwritten signature in blue ink, appearing to read 'Jana D. Weltzin, Esq.', is written over a horizontal line. The signature is fluid and cursive, with a large loop at the end.

Jana D. Weltzin, Esq.