Register	2016 PROFESSIONAL REGULATION

Chapter 52. Board of Pharmacy.

12 AAC 52 is amended by adding a new section to read:

12 AAC 52.994. Independent dispensing of opioid overdose drugs by pharmacists.

- (a) A pharmacist may independently dispense an opioid overdose drug approved for use as an opioid overdose drug by the United States Food and Drug Administration. Before a pharmacist independently dispenses an opioid overdose drug to a recipient, the pharmacist shall
- (1) in accordance with 12 AAC 52.340, complete a single training session that consists of one hour of continuing education specific to the use of an opioid overdose drug;
- (2) question the recipient to determine if there are any known contraindications to opioid overdose drug usage for the potential user; and
- (3) provide the recipient information about opioid overdose prevention, recognition, and response to opioid overdose drugs.
 - (b) A pharmacist may
 - (1) supply an opioid overdose drug as
 - (A) an intramuscular injection;
 - (B) an intranasal spray;
 - (C) an auto-injector; or
 - (D) any other product forms approved by the United States Food and Drug Administration; and
 - (2) recommend other optional items when appropriate, including
 - (A) alcohol pads;
 - (B) rescue breathing masks; or
 - (C) rubber gloves.

Register________2016 PROFESSIONAL REGULATIONS (c) When dispensing an opioid overdose drug (1) the pharmacist shall (A) label the drug in accordance with 12 AAC 52.480; (B) ensure that the label includes appropriate directions; the label may not consist of the sole direction "use as directed"; (C) ensure that the label includes directions to call 911 or other available emergency services; and (D) document the drug as a prescription in the medication record of the recipient in accordance with 12 AAC 52.450; and (2) the pharmacist may (A) in accordance with 12 AAC 52.585, provide the recipient with counseling and information on the drug furnished, including (i) dosing; (ii) administration; (iii) effectiveness; (iv) adverse effects; (v) storage conditions;

- (B) offer the recipient information or referrals to appropriate resources including information about addiction treatment, recovery services, or medication disposal resources, if the recipient indicates interest in that information.
- (d) Nothing in this section restricts the ability of a pharmacist to furnish an opioid overdose drug by means of an authorized practitioner prescription under 12 AAC 52.460 or

(vi) shelf life; and

(vii) safety;

Register2016 PROFESSIONAL REGULATIONS
12 AAC 52.490.
(e) In this section,
(1) "opioid overdose drug"
(A) has the meaning given in AS 08.80.168;
(B) includes naloxone hydrochloride;
(2) "recipient" means the person to whom an opioid overdose drug is furnished.
(Eff/, Register)
Authority: AS 08.80.030 AS 08.80.168 AS 08.80.480